## Amendments to the Claims:

The listing of claims will replace all prior versions, and listings of claims in the application:

## **Listing of Claims:**

ì,

Claim 1 (currently amended): <u>A variable Variable</u> background for photographic pictures, comprising:

a flexible basic body which supports the object which has to be photographed and at least one adjustment device for modifying the shape of the basic body; , characterised in that

wherein the flexible basic body has such a stiffness that it can take different shapes, however, and keeps a smooth an even surface when the shape is modified; and

wherein the adjustment device comprises is indicated by openings obtained at least on one side of the flexible basic body by means of punchings, through which and a string, or a fiber or the like is being guided alternately through said opening; and

<del>, respectively S-like, wherein at least one end of the string <u>or fiber</u> can be fixed by means of a fixing means.</del>

Claim 2 (currently amended): <u>The variable Variable</u> background according to claim 1, <u>wherein eharacterised in that</u> the flexible basic body is formed by a translucent, colorless and/or colored foil.

Claim 3 (cancelled)

Claim 4 (currently amended): <u>The variable Variable background according to claim 1</u>, <u>wherein characterised in that the flexible basic body is formed either by a plastic foil, by paper, respectively by a cardboard, or by a flexible metal foil.</u>

Claim 5 (cancelled)

Ĺ

Claim 6 (currently amended): <u>The variable Variable</u> background according to claim 1, <u>wherein characterised in that</u> at least on one of the cross sides of the flexible basic body reinforcements <u>are provided</u>; and <u>wherein the reinforcements comprise</u>, <u>preferably by means of metal bows</u>, <u>or plastic reinforcements or the like are provided</u>.

Claim 7 (currently amended): <u>The variable Variable background according to claim 1, wherein eharacterised in that</u> the flexible basic body can be brought into an angled position by means of the adjustment device, wherein the angle can be chosen freely and can be modified freely, according to the photographic picture <u>or</u>, respectively photo technique.

Claim 8 (currently amended): <u>The variable Variable</u> background according to claim 1, <u>wherein characterised in that</u> at least two or more angulations of the flexible basic body are provided.

Claim 9 (currently amended): <u>The variable Variable</u> background according to claim 1, <u>wherein characterised in that</u> the basic body has such a stiffness that the basic body forms a tunnel if opposite sides of the basic body are linked and tensioned by means of the adjustment device.

Claim 10 (currently amended): <u>The variable Variable background according to claim 1</u>, characterised in that through tensioning of the flexible basic body by means of the adjustment device, respectively another fixing means, wherein the basic body assumes the shape of a tent, a tube, or the shape of a cone, or respectively of a truncated cone by tensioning the string or fiber of the adjustment device through restricting the length of the string or fiber by the fixing means.

Claim 11 (currently amended): <u>The variable Variable</u> background according to claim 1, <u>wherein, characterised in that</u> on the longitudinal sides of the basic body, fastening

devices, preferably as a Velcro fastener, by means of snap fasteners or as zip fastener, are provided by means of which the basic body can be fastened to a support or the like.

Claim 12 (currently amended): <u>The variable Variable background according to claim 1</u>, wherein eharacterised in that the basic body is designed in such a way that it can be <u>fixedly</u> put on a frame, in particular be put fixedly.

Claim 13 (currently amended): <u>The variable Variable</u> background according to claim 1, characterised in that the basic body is <u>designed in such a way that it can be</u> put on a frame, <u>in particular be put fixedly</u>, and that the frame <u>consists is designed as a frame eonsisting</u> of at least three parts, wherein the individual frame parts <u>are can be</u> connected to each other.

Claim 14 (currently amended): <u>The variable Variable background according to claim 1</u>, characterised in that the basic body is <u>designed in such a way that it can be</u> put on a frame, <u>in particular be put fixedly</u>, and the frame <u>consists is designed as a frame eonsisting</u> of at least three parts, wherein the individual frame parts <u>are ean be</u> connected to each other and the frame parts can be connected to each other by means of inserted connectors.

Claim 15 (currently amended): <u>The variable Variable</u> background according to claim 1, characterised in that the basic body is <u>designed in such a way that it can be</u> put on a frame, <u>in particular put fixedly</u>, and the frame <u>consists is designed as a frame consisting</u> of at least three parts, wherein the individual frame parts <u>are ean be</u> connected with each other and the frame parts can be connected to each other by means of inserted connectors and the inserted connectors are available in different angles.

Claim 16 (currently amended): <u>The variable Variable background according to claim 1</u>, characterised in that the basic body is <u>designed in such a way that it can be</u> put on a frame, in particular put fixedly, and the frame <u>consists is designed as a frame consisting</u>

of at least three parts, wherein the individual frame parts can be connected to each other and the frame parts are connected to each other by means of joints which can be fixed.

Claim 17 (currently amended): The variable Variable background according to claim 1, wherein characterised in that the basic body is designed in such a way that it can be put on a frame, in particular put fixedly, and wherein the frame is or, respectively the frame parts forming the frame, result from flexible profiles, in particular tubes, which can be formed freely, however, which are flexible and, after the forming, sufficiently stable in order to keep a the chosen form of the frame or, respectively the frame parts.

Claim 18 (currently amended): <u>The variable Variable</u> background according to claim 1, <u>wherein eharacterised in that the</u> basic body is <u>designed in such a way that it can be</u>-put on a frame, <u>in particular put fixedly</u>, and the frame consists of flexible profiles and the flexible profiles are arranged as adjustment device on the flexible basic body.

Claim 19 (currently amended): The variable Variable background according to claim 1, characterised in that the basic body is designed in such a way that it can be put on a frame, in particular put fixedly, and the frame is designed in such a way that it consists of at least three parts, wherein the individual frame parts are can be connected with each other and the frame parts are connected by means of joints which are provided fixedly with catchings.

Claim 20 (currently amended): <u>The variable Variable background according to claim 1</u>, wherein characterised in that at least a part of <u>a region of the flexible basic body for taking the photographic pictures the taking region</u> is formed by an opaque slab which <u>is preferably can be</u> also fastened to <u>a</u>, respectively at, the frame.

Claim 21 (currently amended): <u>The variable Variable background according to claim 1</u>, wherein characterised in that a light source can be arranged below, respectively before or behind, the variable background.

Claim 22 (currently amended): <u>The variable Variable background according to claim 1</u>, wherein characterised in that a repro column is provided which is can be fastened to a the frame on which the flexible basic body is put.

Claim 23 (currently amended): <u>The variable Variable</u> background according to claim 1, characterised by a transport device where all parts of the variable background are stored <u>and in such a way that they are fixed</u> in it during transport and are <u>in particular</u> protected against concussions and damages.

Claim 24 (currently amended): <u>A flexible Plexible photograph desk</u>, comprising a flexible basic body according to claim 1, and a frame which supports the flexible basic body and where the basic body can, in particular, be fastened.

Claim 25 (currently amended): <u>A system System for a variable background, comprising</u> at least one flexible basic body according to claim 1, a frame, at least one opaque slab, one or more light sources, one or more repro columns and at least one transport device.

Claim 26 (new): The variable background according to claim 1, wherein the overall shape of the string or fiber is S-like when the string or fiber is guided through the openings of the adjustment device.

Claim 27 (new): The variable background according to claim 1, wherein the fastening devices are Velcro fasteners, snap fasteners or zip fasteners.